KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-47D7CA

Client: Vanta labs research

Certified: 08/24/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157/TB-500	**Form**	Lyophilized Powder
Batch	Vanta184290	**Labeled Qty**	20 mg
Cap Color	Red	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.163% ✓
Blend Avg Net Content	(~20mg)	19.28 mg ✓
Blend Identification (LC-MS)	(BPC-157/TB-500)	BPC-157/TB-500 ✓

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
BPC-157	10 mg	9.09 mg
TB-500(TB-4)	10 mg	10.19 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-47D7CA
Access Code: I82S90R