KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-E355F5

Client: Vanta labs research

Certified: 08/24/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Klow	**Form**	Lyophilized Powder
Batch	N/A	**Labeled Qty**	80 mg
Cap Color	Orange	**Crimp Color**	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.271% ✓
Blend Avg Net Content	(~80mg)	85.58 mg ✓
Blend Identification (LC-MS)	(Klow)	Klow ✓

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
GHK-Cu	50 mg	52.16 mg
KPV	10 mg	10.56 mg
BPC-157	10 mg	11.84 mg
TB-500(TB-4)	10 mg	11.02 mg

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-E355F5

Access Code: 04APW3P